

	Type	Hits	Search Text	DBs
1	BRS	1	10/687822	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	3190	(353/61,30,31,34,37,52,56-58,60,119).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	IS&R	265	(353/61).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	IS&R	275	(353/52).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	IS&R	684	(353/119).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	209	S5 and (blower\$1 or fan\$1 or (blowing adj (device or apparatus or system or unit)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
7	IS&R	102	(("4563067") or ("5287132") or ("5418586") or ("5651599") or ("5988818") or ("6254238") or ("6398366") or ("RE38006") or ("6568813") or ("6746125") or ("4952925") or ("4787737") or ("4925295") or ("6132049") or ("6139155") or ("6203159") or ("6322218") or ("6350033") or ("6513936") or ("6558004") or ("6641267") or ("6679607") or ("6751027") or ("6805446") or ("6837583") or ("6843277") or ("4492094") or ("6192698") or ("4483150") or ("4566531") or ("4603557") or ("4990290") or ("5398504") or ("5514035") or ("5731953") or ("6055966") or ("6100599") or ("6138648") or ("4622831") or ("4813241") or ("5240648") or ("5421297") or ("6044654") or ("6055964") or ("6079374") or ("6082329") or ("4350085") or ("4438733") or ("4561386") or ("4586342")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
8	IS&R	50	(("4563067") or ("5287132") or ("5418586") or ("5651599") or ("5988818") or ("6254238") or ("6398366") or ("RE38006") or ("6568813") or ("6746125") or ("4952925") or ("4787737") or ("4925295") or ("6132049") or ("6139155") or ("6203159") or ("6322218") or ("6350033") or ("6513936") or ("6558004") or ("6641267") or ("6679607") or ("6751027") or ("6805446") or ("6837583") or ("6843277") or ("4492094") or ("6192698") or ("4483150") or ("4566531") or ("4603557") or ("4990290") or ("5398504") or ("5514035") or ("5731953") or ("6055966") or ("6100599") or ("6138648") or ("4622831") or ("4813241") or ("5240648") or ("5421297") or ("6044654") or ("6055964") or ("6079374") or ("6082329") or ("4350085") or ("4438733") or ("4561386") or ("4586342")).PN.	US-PGPUB; USPAT
9	IS&R	265	(353/61).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	IS&R	684	(353/119).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
11	BRS	6802	(projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and (blower\$1 or fan\$1 or (blowing adj (device or apparatus or system or unit)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	2588	("353"/\$ or "348"/\$ or "349"/\$ or "359"/\$ or "362"/\$ or "345"/\$) and (projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and (blower\$1 or fan\$1 or (blowing adj (device or apparatus or system or unit)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	147	("353"/\$ or "348"/\$ or "349"/\$ or "359"/\$ or "362"/\$ or "345"/\$) and (projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and ((blower\$1 or fan\$1 or (blowing adj (device or apparatus or system or unit))) with (inclin\$5 or angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	30	(Akitoshi near Kuroda)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	IS&R	989	(353/122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	138	S15 and (blower\$1 or fan\$1 or ((blowing or cooling) adj (device or apparatus or system or unit)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
17	IS&R	684	(353/119).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	251	S17 and (fan\$1 or blower\$1 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	252	S17 and (fan\$1 or blow\$3 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	157	("353"/\$ or "348"/\$ or "349"/\$ or "359"/\$ or "362"/\$ or "345"/\$) and (projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and ((blower\$1 or fan\$1 or (blowing adj (device or apparatus or system or unit))) with (inclin\$5 or angle or tilt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	IS&R	2	("6641267").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	18640	(intake or suction) with opening with (case or body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	1235	(intake or suction) with fan with opening with (case or body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
24	BRS	40	(projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and ((intake or suction) with fan with opening with (case or body))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	7	(projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and ((intake or suction) with fan with opening with ((lower or bottom) adj2 (case or body)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	1	10/600655	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	0	"8-034127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	1	"2000-097082"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	3	"10-176248"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	IS&R	4001	(353/61,30,31,34,37,52,56-58,60,119,122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
31	BRS	214	("353"/\$ or "348"/\$ or "349"/\$ or "359"/\$ or "362"/\$ or "345"/\$) and (projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and (blower\$1 or fan\$1 or (blowing adj (device or apparatus or system or unit))) and legs	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	2	("353"/\$ or "348"/\$ or "349"/\$ or "359"/\$ or "362"/\$ or "345"/\$) and (projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and (blower\$1 or fan\$1 or (blowing adj (device or apparatus or system or unit))) and (adjust\$3 near1 leg\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	9	(projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and (blower\$1 or fan\$1 or (blowing adj (device or apparatus or system or unit))) and (adjust\$3 near1 leg\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	62	(projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and (adjust\$3 near1 leg\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	9641	(projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and (tilt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	BRS	70	(projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and (adjust\$3 near1 (leg\$1 or feet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
37	BRS	247	(projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and (adjust\$3 near3 (leg\$1 or feet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	4	(projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and (exhaust or suction or intake) and (adjust\$3 near1 (leg\$1 or feet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	4	(projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and (exhaust or suction or intake) and (adjust\$3 near1 (leg\$1 or feet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	BRS	9	(projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and (fan\$1 or blower\$1) and (adjust\$3 near1 (leg\$1 or feet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	BRS	16	(projector or (project\$3 adj1 (device or unit or apparatus or system or display))) and (fan\$1 or blow\$3 or cool\$3) and (adjust\$3 near1 (leg\$1 or feet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	IS&R	992	(353/122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	BRS	40	S42 and (leg\$1 or feet\$1) and (fan\$1 or blow\$3 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
44	BRS	12	S42 and ((adjust\$4 or extend\$4) near3 (leg\$1 or feet\$1)) and (fan\$1 or blow\$3 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	BRS	750	("353"/\$ or "359"/\$ or "348"/\$ or "362"/\$ or "349"/\$) and ((adjust\$4 or extend\$4) near3 (leg\$1 or feet\$1)) and (fan\$1 or blow\$3 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	BRS	0	10/470977	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	IS&R	4005	(353/61,30,31,34,37,52,56-58,60,119,122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	BRS	8394	(fan or blower) with (power adj supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	389	(projector or (project\$3 adj1 (device or unit or display or system or apparatus))) and ((fan or blower) with (power adj supply))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	213	(projector or (project\$3 adj1 (device or unit or display or system or apparatus))) and ((fan or blower) with (power adj supply) with (lamp or (light adj source)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
51	IS&R	3	("2002038462").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	IS&R	2	("6203159").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	IS&R	266	(353/61).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	BRS	95	S53 and (height or inclination inclin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	BRS	31	S53 and ((power adj supply) with (fan or blower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	BRS	389	(projector or (project\$3 adj (device or unit or apparatus or system or display))) and ((power adj supply) with (fan or blower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	73	(projector or (project\$3 adj (device or unit or apparatus or system or display))) and ((power adj supply) with ((intake or suction) adj fan))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
58	IS&R	2	("6641267").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	BRS	152	((suction or intake) adj fan) with (incline\$1 or inclination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	BRS	93	((suction or intake) adj fan) with angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	BRS	152	((suction or intake) adj fan) with (incline\$1 or inclination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	BRS	0	S61 not S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	BRS	82	S60 not S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	IS&R	94	(353/60).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB